

REDSUN
LIVING OUTSIDE



CERASUN & CERAMIC

COLLECTION 2026







REDSUN

Quality is a Family Tradition

REDSUN was founded in 1985 by Ger van Ommeren and has remained a family-owned and owner-managed business to this day. In the early years, we focused exclusively on the natural stone trade and were among the pioneers importing natural stone from the Far East.

Over the years, our product portfolio has continually expanded to include high-quality concrete products, ceramic paving slabs and, ultimately, CERASUN concrete-ceramic composite paving. As our range of concrete products grew, our original premises in Cuijk became too limited. We therefore began searching for a new location where we could realise our vision and implement our one-stop shopping concept.

We eventually found the ideal site in Kevelaer, on the Lower Rhine, where we have been based since 2000. In 2001, we opened our first concrete manufacturing plant there. By mid-2021, we had completed five state-of-the-art concrete production facilities, each equipped with the latest technology.

One outstanding example is our advanced Masa production line, which enables cutting-edge online surface finishing processes.

Through online finishing and our one-stop shopping concept, we not only reduce transport distances but also contribute to protecting the environment.

Our workforce has grown significantly over the years as well. Today, REDSUN employs almost 500 dedicated staff members, including those at our sister company ALUXE, which specialises in patio covers and outdoor living solutions.

Three of these employees deserve special mention: Arjan, Geert and Coen, the sons of Ger van Ommeren. For several years, they have held key management positions within the company. Their passion for concrete is every bit as strong as their father's, ensuring that you can continue to rely on the trusted quality of REDSUN in the years to come.

THE FACTS

- Founded: 1985
- Employees: 500
- Annual natural stone imports: 60.000 tonnes
- Concrete products manufactured per year: 5.000.000 m²
- Site area: 420.000 m²
- Number of concrete production plants: 5



PALERMO - Antracite 40x80 cm



CONTENTS

CERASUN	6				
CERAMIC	8				
NATURE LOOK	11	INDUSTRIAL LOOK	25	WOOD LOOK	37
LUCCA	12	PISA DECOR	26	WOODLOOK GREY WASH	38
BERGAMO	12	PISA	27	WOODLOOK OAK	38
PROVENCE	13	FLOWER	27	WOODLOOK LIGHT OAK	38
PIAZZA	13	VERONA	28	WOODLOOK DARK OAK	38
SIENA	14	ANIMA	28	TORINO	39
RECCO	14	FIRENZE	28	MAHONY	40
PALERMO	16	CEMENTO	30	TIMBER GREY SOFTEDGE	40
MESSINA	16	CATANIA DECOR	30	SELVA NEW	41
BELGIUM	17	MERANO	31	RONCO	41
TRENTINO	18	CONCRETE DECOR	31		
SAVONA	18	BRESCIA	32		
BLUESTONE	19	MURALES	32		
TROPEA	19	VULCANO	33		
MASSA	20	CILENTO	34		
ARDENA NEW	20	CASERTA	35		
MAVI NEW	21	BARI	35		
MONTE NEW	21				
QUARTZ NEW	21				
NORDLYS	22				
ARDENNE	23				
VARESE	23				

CERASUN

The Innovative Ceramic-Concrete Composite – The Optimal Solution

CERASUN slabs combine a high-quality ceramic surface with a permanently bonded, highly compacted concrete core. CERASUN can be installed unbound, without cement or other bonding agents, on a stable load-bearing base such as crushed stone or grit. Compared to conventional ceramic paving slabs, CERASUN requires less specialist installation expertise, making it a significantly more cost-effective paving solution. Thanks to the substantial weight of the slabs, fixed jointing can be achieved using suitable jointing materials. This eliminates the need for regular joint cleaning and weed removal.

CERASUN is available in a variety of Natural Stone, Wood and Industrial designs and comes in sizes of 40×80 cm, 60×60 cm and 80×80 cm.

CERASUN The Advantages

■ COST-EFFECTIVE INSTALLATION

Installation requirements are less demanding, reducing labour costs and making the overall project significantly more affordable..

■ EASY TO MAINTAIN


The ceramic surface is highly scratch-resistant and can be cleaned easily using standard household or patio cleaning products.

■ WEATHER RESISTANT


Whether exposed to rain, frost or intense UV radiation, CERASUN slabs are designed to withstand all weather conditions.

The wide range of surface finishes and formats offers countless design possibilities, allowing you to create a truly individual outdoor space.

Enjoy the benefits from day one!




SLIP-RESISTANT




LOW WATER ABSORPTION




EASY-TO-MAINTAIN SURFACE




WEATHER-RESISTANT




ACID-RESISTANT



COLOURFAST



UNBOUND INSTALLATION



CERAMIC-CONCRETE COMPOSITE



CERAMIC

Natural Stone, Wood or Concrete?

Discover the perfect combination of style and functionality with our ceramic paving slabs. They provide an attractive solution for patios, garden paths and other outdoor areas that are designed for long-term use in a variety of weather conditions.

Whether for areas furnished with garden furniture or spaces subject to heavy use, these slabs offer outstanding durability while maintaining their aesthetic appeal over time. Manufactured to the highest standards of quality and craftsmanship, they are resistant to scratches, stains, frost and commonly used chemicals.

Whether you prefer a sleek, contemporary look or the warmth and character of natural stone or timber, our extensive range of finishes and colours allows you to create outdoor spaces that reflect your personal taste and style. Thanks to advanced manufacturing techniques, the slabs feature highly realistic patterns and textures that are virtually indistinguishable from genuine natural stone, wood and other materials.


In addition to their visual appeal, these slabs are exceptionally easy to maintain. Their dirt-resistant surface makes cleaning simple, allowing you to spend more time enjoying your outdoor space.

Transform your outdoor area into a real eye-catcher with our premium ceramic paving slabs.



More Demanding Installation


Unlike CERASUN, 2 cm ceramic paving slabs cannot be installed using an unbound method. This results in higher technical and installation requirements. As a result, CERASUN offers a more cost-effective installation solution in direct comparison.




ACID-RESISTANT



SLIP-RESISTANT




COLOURFAST




WEATHER-RESISTANT




EASY-TO-MAINTAIN SURFACE



LOW WATER ABSORPTION



SUITABLE FOR PEDESTAL SYSTEMS



RECTIFIED



ONE DESIGN – THREE THICKNESS

A consistent and harmonious appearance is becoming increasingly important in modern garden design. Our solution: the same design available in 2 cm, 3 cm and 4 cm thicknesses. This approach makes it possible to create a seamless overall design that adapts perfectly to different sub-base requirements and applications.

Thanks to this flexibility, the days of combining different ceramic designs throughout the garden are over. Instead, homeowners can enjoy a continuous design concept that is both aesthetically pleasing and highly functional. Whether for pathways or patios, a uniform appearance creates a calm, balanced and harmonious outdoor environment.

The result is a garden that is not only more attractive but also more contemporary in style.

Available in the Bari, Cilento, Messina, Recco, Varese, Woodlook New Oak, New Dark Oak and New Grey Wash collections.





Installation
Instructions




BERGAMO - Azzurro 40x80 cm



NATURE LOOK

Our Nature-Look collection leaves nothing to be desired. With its wide variety of colours, textures and authentic designs, the surfaces are virtually indistinguishable from genuine natural stone.

Size Comparison of Installed Formats on an Area of 240 × 240 cm





LUCCA Beige

	60x60
K	2 cm
	3 cm
C	4 cm ■



LUCCA Black

	60x60
K	2 cm
	3 cm
C	4 cm ■



LUCCA Grey

	60x60
K	2 cm
	3 cm
C	4 cm ■



BERGAMO Azzurro

	40x80	60x60	80x80
K	2 cm		
	3 cm		
C	4 cm ■	■	■



BERGAMO Antracite

	40x80	60x60	80x80
K	2 cm		
	3 cm		
C	4 cm ■	■	■



BERGAMO Greige

	40x80	60x60	80x80
K	2 cm		
	3 cm		
C	4 cm ■	■	■





PIAZZA - Antracite 60x60 cm



CERASUN
PROVENCE Cream
 40x80 60x60
 K 2 cm
 3 cm
 C 4 cm ■ ■



CERASUN
PROVENCE Grey
 40x80 60x60
 K 2 cm
 3 cm
 C 4 cm ■ ■



CERASUN
PROVENCE Light Grey
 60x60
 K 2 cm
 3 cm
 C 4 cm ■



CERASUN
PIAZZA Grigio
 60x60
 K 2 cm
 3 cm
 C 4 cm ■



CERASUN
PIAZZA Marroncino
 60x60
 K 2 cm
 3 cm
 C 4 cm ■



CERASUN
PIAZZA Antracite
 60x60
 K 2 cm
 3 cm
 C 4 cm ■



SIENA Nebbia

	40x80	60x60
K 2 cm		
3 cm		
C 4 cm	■	■




SIENA Grigio

	40x80	60x60	80x80
K 2 cm			
3 cm			
C 4 cm	■	■	■



SIENA Antracite

	40x80	60x60	80x80
K 2 cm			
3 cm			
C 4 cm	■	■	■



RECCO Antracite

	60x60	80x80
K 2 cm	■	■
3 cm	■	■
C 4 cm	■	■



RECCO Greige

	60x60	80x80
K 2 cm	■	■
3 cm	■	■
C 4 cm	■	■



RECCO Grigio

	60x60	80x80
K 2 cm	■	■
3 cm	■	■
C 4 cm	■	■





RECCO - Greige 60x60 cm



PALERMO Sabbia

	40x80	60x60
K	2 cm	
	3 cm	
C	4 cm ■	4 cm ■



PALERMO Antracite

	40x80	60x60
K	2 cm	
	3 cm	■
C	4 cm ■	4 cm ■



PALERMO Grigio

	40x80	60x60
K	2 cm	
	3 cm	
C	4 cm ■	4 cm ■



MESSINA Giallo

	40x80	60x60	80x80
K	2 cm ■	2 cm ■	2 cm ■
	3 cm ■	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■	4 cm ■



MESSINA Grigio

	40x80	60x60	80x80
K	2 cm ■	2 cm ■	2 cm ■
	3 cm ■	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■	4 cm ■



MESSINA Oro

	40x80	60x60	80x80
K	2 cm ■	2 cm ■	2 cm ■
	3 cm ■	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■	4 cm ■






MESSINA - Oro 60x60 cm



BELGIUM

Blue Dark

	60x60
K	2 cm
	3 cm
C	4 cm



TRENTINO Nero

	40x80	60x60
K	2 cm	■
	3 cm	
C	4 cm	■



TRENTINO Giallo

	40x80	60x60
K	2 cm	■
	3 cm	
C	4 cm	■



SAVONA Taupe

	60x60
K	2 cm
	3 cm
C	4 cm



TRENTINO Azzurro

	40x80	60x60
K	2 cm	■
	3 cm	
C	4 cm	■



TRENTINO Rio Sunrise

	40x80	60x60
K	2 cm	■
	3 cm	
C	4 cm	■



SAVONA Multi

	60x60
K	2 cm
	3 cm
C	4 cm



BLUESTONE - Grigio 60x60 cm



TROPEA Grigio

	40x80
K	2 cm
	3 cm
C	4 cm ■



BLUESTONE Grigio

	60x60
K	2 cm
	3 cm
C	4 cm ■




TROPEA Antracite

	60x60
K	2 cm
	3 cm
C	4 cm ■



BLUESTONE Nero

	60x60
K	2 cm
	3 cm
C	4 cm ■



CERAMIC

MASSA Antracite

	120x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

MASSA Beige

	120x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

ARDENA **NEW** Blue

	60x60	80x80
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

MASSA Grigio

	120x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

MASSA Color

	120x120	
K	2 cm	■
	3 cm	
C	4 cm	




CERAMIC

ARDENA **NEW** Dark Blue

	60x60	80x80
K	2 cm	■
	3 cm	
C	4 cm	



MASSA - Grigio 120x120 cm



MAVI NEW Blue

	60x60	80x80
K	2 cm	■
	3 cm	
C	4 cm	



MAVI NEW Blue getrommelt

	20x20	Wildverband
K	2 cm	■
	3 cm	
C	4 cm	




MONTE NEW Beige

	60x60
K	2 cm
	3 cm
C	4 cm




MONTE NEW Grey

	60x60
K	2 cm
	3 cm
C	4 cm



QUARTZ NEW Grigio

	60x60
K	2 cm
	3 cm
C	4 cm



NORDLYS Oslo

40x80

K	2 cm	
	3 cm	■
C	4 cm	




NORDLYS Trondheim

40x80

K	2 cm	
	3 cm	■
C	4 cm	



VARESE - Taupe 80x80 cm




ARDENNE Antracite

	60x60
K	2 cm
	3 cm
C	4 cm



ARDENNE Grigio

	60x60
K	2 cm
	3 cm
C	4 cm



PAVIA Antracite

	40x80	60x60
K	2 cm	■
	3 cm	■
C	4 cm	■




VARESE Taupe

	40x80	60x60	80x80
K	2 cm	■	■
	3 cm	■	■
C	4 cm	■	■



VARESE Greige

	40x80	60x60	80x80
K	2 cm	■	■
	3 cm	■	■
C	4 cm	■	■



VARESE Antracite

	40x80	60x60	80x80
K	2 cm	■	■
	3 cm	■	■
C	4 cm	■	■



Installation
Instructions




BARI - Grigio 60x60 cm



INDUSTRIAL LOOK

Inspired by raw, robust and imperfect materials such as concrete and metal, these designs possess a distinctive character of their own. Their striking appearance creates a strong visual statement and integrates perfectly into a minimalist terrace design.

Size Comparison of Installed Formats on an Area of 240 × 240 cm





PISA - Sabbia / Decor Sabbia 60x60 cm



PISA DECOR Grigio

	60x60
K	2 cm
	3 cm
C	4 cm ■



PISA DECOR Sabbia

	60x60
K	2 cm
	3 cm
C	4 cm ■



PISA Grigio

	60x60
K	2 cm
	3 cm
C	4 cm ■



FLOWER Decor

	60x60
K	2 cm
	3 cm
C	4 cm ■



PISA Sabbia

	60x60
K	2 cm
	3 cm
C	4 cm ■



PISA Antracite

	60x60
K	2 cm
	3 cm
C	4 cm ■



FLOWER - Decor 60x60 cm



VERONA Antracite

	60x60
K	2 cm
	3 cm
C	4 cm ■



ANIMA Grigio

	60x60
K	2 cm
	3 cm
C	4 cm ■



FIRENZE Black

	60x60
K	2 cm
	3 cm
C	4 cm ■



ANIMA Nebbia

	60x60
K	2 cm
	3 cm
C	4 cm ■



ANIMA Antracite

	60x60
K	2 cm
	3 cm
C	4 cm ■





ANIMA - Grigio 60x60 cm



CERASUN Antracite

	40x80	60x60	80x80
K	2 cm		
	3 cm		
C	4 cm	■	■



CERASUN Grigio

	40x80	60x60	80x80
K	2 cm		
	3 cm		
C	4 cm	■	■



CERASUN Greige

	40x80	60x60
K	2 cm	
	3 cm	
C	4 cm	■



CERASUN CATANIA DECOR Multi

	60x60
K	2 cm
	3 cm
C	4 cm




CERASUN CATANIA DECOR Blue

	60x60
K	2 cm
	3 cm
C	4 cm



CERASUN CATANIA DECOR Beige

	60x60
K	2 cm
	3 cm
C	4 cm



CATANIA DECOR - Multi 60x60 cm



CERASUN

MERANO Grigio

	60x60
K	2 cm
	3 cm
C	4 cm ■



CERASUN

CONCRETE DECOR Graphite

	60x60
K	2 cm
	3 cm
C	4 cm ■



CERASUN

MERANO Antracite

	60x60
K	2 cm
	3 cm
C	4 cm ■



CERASUN

MERANO Marroncino

	60x60
K	2 cm
	3 cm
C	4 cm ■



BRESCIA Grigio

60x60	
K	2 cm
	3 cm
C	4 cm ■



BRESCIA Nebbia

60x60	
K	2 cm
	3 cm
C	4 cm ■



BRESCIA Antracite

60x60	
K	2 cm
	3 cm
C	4 cm ■



MURALES Dark

60x60	
K	2 cm
	3 cm
C	4 cm ■



MURALES Grey

60x60	
K	2 cm
	3 cm
C	4 cm ■



MURALES Grey Decor

60x60	
K	2 cm
	3 cm
C	4 cm ■





BRESCIA - Nebbia 60x60 cm



CERASUN

VULCANO Dark

	60x60	80x80
K	2 cm	
	3 cm	
C	4 cm	■ ■



CERASUN

VULCANO Grey

	60x60	80x80
K	2 cm	
	3 cm	
C	4 cm	■ ■



CERASUN

VULCANO Taupe

	80x80	
K	2 cm	
	3 cm	
C	4 cm	■



CILENTO Antracite

	40x80	60x60	80x80
K	■	■	■
C	■	■	■



CILENTO Grigio

	40x80	60x60	80x80
K	■	■	■
C	■	■	■



CILENTO Taupe

	40x80	60x60	80x80
K	■	■	■
C	■	■	■



CILENTO **NEW** Sand

	40x80	60x60	80x80
K	■	■	■
C	■	■	■






CASERTA Beige

	120x120
K	2 cm ■
	3 cm ■
C	4 cm ■



CASERTA Grigio

	120x120
K	2 cm ■
	3 cm ■
C	4 cm ■




VOLTERRA Copper

	60x60
K	2 cm ■
	3 cm ■
C	4 cm ■



BARI Antracite

	60x60	80x80
K	2 cm ■	2 cm ■
	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■



BARI Grigio

	60x60	80x80
K	2 cm ■	2 cm ■
	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■



BARI Sand

	60x60	80x80
K	2 cm ■	2 cm ■
	3 cm ■	3 cm ■
C	4 cm ■	4 cm ■



Installation
Instructions




RONCO - Light 40x120 cm



WOODLOOK

The WOODLOOK collection captures the charm and warmth of natural timber flooring. Virtually indistinguishable from real wood, it offers all the benefits of a ceramic surface. Thanks to its versatile range of designs, WOODLOOK is suitable for a wide variety of styles, from rustic and traditional to sleek and contemporary.

Size Comparison of Installed Formats on an Area of 240 × 240 cm





WOODLOOK Grey Wash

	40x80	30x120
K 2 cm		■
3 cm		
C 4 cm	■	■



WOODLOOK Oak

	40x80	30x120
K 2 cm		■
3 cm		
C 4 cm	■	■




WOODLOOK Dark Oak

	30x120
K 2 cm	■
3 cm	
C 4 cm	■



WOODLOOK Light Oak

	40x120
K 2 cm	■
3 cm	
C 4 cm	




WOODLOOK - Grey Wash 40x80 cm



TORINO Grigio

40x80


- K** 2 cm
- 3 cm
- C** 4 cm



TORINO Marron

40x80

- K** 2 cm
- 3 cm
- C** 4 cm



CERAMIC

MAHONY

40x120

- K** 2 cm
- 3 cm
- C** 4 cm



CERAMIC

TIMBER

Grey Softedge

30x120

- K** 2 cm
- 3 cm
- C** 4 cm



RONCO - Dark 40x120 cm



CERAMIC

SELVA **NEW** Natural

	30x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

SELVA **NEW** Ombre


	30x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

SELVA **NEW** Quercia


	30x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

RONCO Light


	40x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

RONCO Dark

	40x120	
K	2 cm	■
	3 cm	
C	4 cm	



CERAMIC

RONCO Oak

	40x120	
K	2 cm	■
	3 cm	
C	4 cm	



REDSUN spacer & PEDESTAL SUPPORTS

The redsunspacer is the ideal installation aid for laying paving slabs with a 3 mm or 5 mm joint width. It is suitable for use with concrete paving, ceramic paving slabs and natural stone paving.

BENEFITS:

- Easy to position during installation and remove afterwards
- Reusable
- Ensures consistent joint widths throughout the project
- Keeps slabs accurately aligned during installation



ADJUSTABLE PEDESTAL SUPPORTS

- 10 mm (fixed height)
- 8/20 mm
- 20/30 mm
- 40/60 mm
- 50/80 mm
- 80/140 mm
- 140/230 mm



OUR NEW JOINTING COMPOUND: WEATHERPOINT

Introducing Weatherpoint, our new easy-to-use jointing compound that is suitable for our entire product range, particularly Courtstones and Plazzas.

With Weatherpoint, you can joint your paving at any time – in dry weather or even in the rain. No mixing is required: simply dampen the surface lightly and sweep the material directly into the joints.

The result is impressive: a joint that is hard, flexible, crack-resistant and permeable to water, providing a long-lasting, professional finish.

■ **For Narrow Joints**

Weatherpoint Fine Joint – exceptionally flexible and ideal for ceramic patios and terraces.

■ **For Wider Joints**

Weatherpoint – offering maximum crack resistance, making it perfect for driveways and heavily trafficked areas.

Your Benefits at a Glance:

- Quick and easy to apply
- Suitable for all weather conditions
- Flexible yet highly durable
- Water-permeable and frost-resistant



ANTHRAZIT



SAND



GRAU



ARDENNE - Grigio 60x60 cm



INDEX

Anima	28
Ardena.....	20
Ardenne	23
Bari	35
Belgium	17
Bergamo	12
Bluestone.....	19
Brescia.....	32
Caserta	35
Catania Decor.....	30
Cemento	30
Cilento	34
Concrete Decor.....	31
Firenze.....	29
Flower	27
Industrial Look	24
Lucca	12

Mahony	40
Massa	20
Mavi	21
Merano.....	31
Messina	16
Monte	21
Murales	32
Nature Look.....	10
Nordlys.....	22
Palermo.....	16
Pavia	23
Piazza	13
Pisa	27
Pisa Decor	26
Provence.....	13
Quartz	21
Recco	14

Ronco	41
Savona.....	18
Siena	14
Selva	41
Timber	40
Torino	39
Trentino	18
Tropea	19
Varese.....	23
Verona	28
Vulcano	33
Woodlook Dark Oak	38
Woodlook Grey Wash	38
Woodlook Light Oak.....	38
Woodlook Oak.....	38


NEWS

Visit our website and follow our social media channels regularly for the latest updates, inspiration and product news.



REDSUN's product range includes high-quality concrete and natural stone products, as well as ceramic paving slabs and concrete-ceramic composite slabs.

Our full range is available from all well-stocked builders' merchants and specialist building materials suppliers.



You can find our latest catalogues on our website.

Alternatively, simply scan the QR code above to access the downloads directly.



REDSUN

DE

REDSUN GmbH & Co KG | Delbrückstr. 1 | D-47623 Kevelaer

NL (Keine Besucheradresse)

REDSUN B.V. | Postbus 25 | 6590 AA Gennepe

BE

REDSUN België B.V | Schaarbroek 2 (unit 4) | B-2500 Lier

www.redsun.eu



Colour variations may occur due to the printing process.
REDSUN accepts no liability for any changes or inaccuracies in the information provided.

YOUR SPECIALIST DEALER:

